

有氧器械专业制造

健身器材图册

FITNESS EQUIPMENT CATALOG




Better quality Better service
更高的质量 更好的服务





At Jiangsu suoden sports equipment Co.,Ltd We stand by the products that we build. That is why we offer the best Lifetime Warranty in the fitness industry. Our equipment includes the most added features in the fitness industry. That is because we study the market ,and our competitors, in order to engineer and manufacture equipment that performs the best, and is made with the high quality materials. Our Chief Engineer and Designer has been in the fitness industry for over 20 years, training on equipment, engineering and designing equipment for own label, and designing equipment for other major companies in the fitness equipment industry, as well.





SD - 810

Invert: Vector control frequency converter 3HP/7HP MAX
AC variable frequency motor: 220V 8.6A
Inclination motor: 220V 1/7HP Alternating Current
Display: 400mm circular runway, number of circles, time
speed Distance, calories, heart rate, inclination diagnosis consulting
(Touch screen option)
Running belt: 2.5mm TH Anti-static diamond pattern
Running board: 25mm TH both side with wear layer
Diameter roller: 90cm
Speed range: 1-20km/h
Incline range: 0-15%
Max user: 180kg
Running surface: 1560*600mm
Assemble size: 2030*950*1570mm
Packing Size: plywood case(L*W*H) 2130*950*440mm
Carton(L*W*H) 1150*1000*430mm
N.W./G.W.: 175KG/220KG



SD - 820

Shock Absorption system: T80MM shock absorption
Motor incline: 0-20%
Speed Range: 1-20KM/H
Heart rate: hand held
Console: 21.5" LED Button Screen
Program: 12 groups of speed preset programs
Motor: 3.0 HP PWM PV: 6.0 HP AC
Machine Size: 2000*876*1630mm
Running Area: 1550mm x 580mm
Packing size: plywood case 2050*940*450mm
Carton 900*550*230mm
Max User Weight: 180KGS
NW/GW: 160kgs/200g
Wireless Charging: OPTION
LED Running Light: OPTION

SD - 860

Size:2270*1010*620

Weight:260kg

Screen size:18.5 inch

Running area:1550*600 (mm)

Product introduction:The appearance design and structure of the product are designed by our company independently.(1) Display panel: 18.5 inch touch control panel, control, display separation operation, increase security. It can display time, distance, speed, slope, calories and heart rate.(2) Exercise program: built-in 8 exercise modes p1-p8; 3 custom modes of time, distance, calories.(3) Power supply voltage: AC 220V (50HZ-60HZ)(4) Speed range : 1.0-20.0 km/h(5) Slope range: 0-20%(6) Max loading: 200 kg



SD - 870

Size:2270*1010*1620

Weight:250 kg

Screen size:18.5 inch

Running area:1550*600 (mm)

Product introduction:The appearance design and structure of the product are designed by our company independently .(1) Display panel: 18.5 inch touch control panel, control, display separation operation, increase security. It can display time, distance, speed, slope, calories and heart rate.(2) Exercise program: built- in 8 exercise modes p1 - p8; 3 custom modes of time , distance, calories. (3) Power supply voltage: AC 220V (50HZ-60HZ)(4) Speed range: 1.0-20.0 km/h (5) Slope range: 0-20%(6) Max loading: 200 kg

SD - 840

Page display range support functions: Time speed calorie heart rate slope up

product Size: 2070*900*1720MM

Packing Size: 2200*1000*600MM

Pipe Thickness standard: 2.5MM

Big material: Steel baking paint surface square pipe

Packing Method: plywood case

Max User Weight: 180KG

Two types of treadmill: Two choices : LED and LCD screen

GW/NW: 220KG/180KG

Drum diameter: 76MM

Slope range display: 0-15

Treadmill running width: 157*55CM

Running area: 60*153CM

The running belt is divided into: Plain weave ,diamond pattern

Material of plastic parts of the whole machine: ABS smooth surface

Running board : High-density super wear-resistant fiber

2.5MM thickness running belt

Speed display range: 0.5-22KM



SD - 8800

Product Size: 2260*900*1750MM

Packing Size: 2300*1000*680MM

CBMS: 1.56

NW/GW: 240KG/280KG

LED Screen Display: Hand-held heart rate, Bluetooth support.

wireless network connection, time,speed,

heart rate, calorie rise

LCD Screen Display: LCD display time, speed, heart rate,calories,

slope up, support for listeningto music,

watching movies

Treadmill tubing: 3.0MM

Running machine plastic: 180kg

Max User Weight: ABSPlastic(The handle is foamy)

Running speed display: 1-20KM/H

Motor Power: 3HP/KW

Lift voltage: 22v

Platform-ground height: 320MM

Running belt noodle: diamond pattern and plain pattern

Screen Size: 21.5'inch

Drum diameter: 88MM

Packaging method: plywood case



SD - 310

LCD Monitor Function: Time, calories, heart rate, speed, mode Infrared sensor! (1-15) LCD screen function: bluetooth-wireless-8 languages-4 scene modes Time, calories, heart rate, speed, mode Infrared sensor! Speed (1-15) 13.3-inch screen!
Power supply: plug-in
Color: customizable
Input voltage: AC 220V 500W
Material: Carbon steel alloy + ABS plastic shell!
Product Size: 1560*766*2016mm
Packing size: 1280*900*1070mm
Packing way: Wooden case
NW/GW: 128.5KG/143KG
Maximum user weight: 150KG



LED显示屏



智能液晶显示屏



SD - 880

Size (L*W*H):2350*940*1840mm
Machine Weight:245kg
Running Area (mm):1550X600
Incline:0-20%
Speed Range:0-20km/h
Keyboard:Touch method , selection function ,User can adjust the time, distance, calories countdown setting.
Drive Motor:Use the Taiwan JSD brand and hyperstatic AC motor.inverter : Use the most advanced inverter in China.
Treadmill Motor:made by aluminum. high frequency heat dissipation, continuous power 3.0HP, Maximum power 7.0HP
Product introduction:The belt is the German Siegling brand ,the size is 2.5mm thickness by 600mm width, (Commercial Treadmill Standard width is 520 mm) , super wide running area Increased safety,when width add 1cm,the safety increase 20%.The 21.5 inches oversize display screen : LED display screen, eight Windows display. The touch panel has USB port ,with the headphone jack and high fidelity speaker.



SD - 9300

Resistance Adjustment: Magnetron resistance adjustment
Product Handrails: PU Foam
Drive type: Rear wheel drive
Max User Weight: 180KG
Product Size: 2170*700*1730MM
Packing Size: 2100*700*830MM
Packaging method: plywood case
MOQ: 100PCSs
Training part: Neck, shoulders, arms, buttocks, legs
Suitable crowd: Multi age application
Loading QTY: 18pieces/STD 20 HQ
Loading QTY1: 39pieces/STD 40 HQ
Loading QTY2: 48pieces/STD 40 HQ



SD - 7200


Material: Rubber wood
Screen: LED
Training Intensity: Adjustable
Tank material: polycarbonate
Folding: Not fold
Product Size: 2150*550*560MM
Packing Size: 1220*590*930MM
Packing Method: Carton case
NW/GW: 36KG/42KG
Max User Weight: 200KG



SD - 830

Commercial Treadmill

Input power voltage: AC 220V ± 10% (50HZ OR 60HZ)
 Motor rated power: 3.0 HP(2.2KW) The max motor power: 7HP
 LED Display:Speed/time/distance/pulse/calories/incline, user program
 MP3 Speaker/fan/25 programs
 Temperature Range : 0-40 °C
 Speed : 1.0-20.0(km/h)
 Incline : 0-20%electric gradient lifting function
 Belt Area (L*W*H) : 1550*580MM , 2.5MM thickness
 Running Board: 1450*690mm 25mm thickness
 Treadmill Size : 2295*948*1630mm
 Packing Size: 2320*1010*650mm
 NW/GW: 233KG/287KG
 Allowable weight user: 180kg
 Speed, Incline directly election function



SD-T03

Commercial Treadmill

Screen Specification: Ultra Clear Digital Display
 Heart rate test: Handheld test
 Shock absorption: Flex Pedal shock absorption system
 Motor: continuous 3.0HP, max 5.0HP
 Running belt: 2.5mm thickness
 Running board: 25mm thickness
 Running area: 1550*585mm
 Product size: 2080*980*1620mm
 Speed: 1-20km/h
 Incline: 0-20%
 NW/GW: 200KG/235KG
 Max User: 180KG



SD - 7007

Commercial Curve Treadmill

Unpowered Magnetic control curved treadmill
 Belt: High strength nylon Running Belt
 Upright: D Shape tube 170*66*3mm
 Computer: 5" control computer, include time, speed, distance, calories
 Running space: 1500*480mm
 Safety speed: 0-20km/h
 Treadmill size: 1780*845*1520mm
 Drive mode: Gravity drive/Magnetically controlled
 Resistance : 1-6 level resistance adjustment
 NW/GW: 165KG/220KG
 MAX Bearing: 150kg



SD-8008A

Fashion Curved Treadmill

Drive mode: Gravity drive
 Sports mode: 1-8 gear adjustment
 Braking method: Magnetic control resistance adjustment
 Computer: 5" control computer, include time, speed, distance, calories
 Running Area: 1500*480mm
 Treadmill Size: 1850*860*1580mm
 Running belt: high strength Nylon running belt;
 Aluminium belt(option)
 NW/GW: 155KG/175KG
 Max load: 180kg



SD - 128

STAIR MASTER

Size: 145*82*208CM
 Step Area: 56*23.5*22cm
 Width: 50cm and above
 Input Power voltage: AC220V ± 10% OR
 AC110V ± 10%
 Drive mode: Motor drive
 Max loaded: 160kg
 Speed: 15 steps/minutes~164 steps/minutes
 Function Display: time, climbing height,
 calories, steps, heart rate etc



SD - 6006

Home Folded Curve Treadmill

Digital Display: speed, distance, time and calories
 Product material: Iron with PVC, with safety handle
 Running area: 40*120cm
 Product Size: 121*68*112.5cm
 Packing size: 137*68*31cm
 NW/GW: 40KG/45KG
 Max user: 150kg

Features:

1. Foldable manual self-powered treadmill
2. With a high-speed bearing, running more smooth and quiet
3. Curved running area, hollow inside to protect knee and run more comfortable
4. Supporting vertical placement
5. Covering an area of 0.1㎡ with freely movable front wheels
6. With thick and strong slats material





SD - 9700

Upright Bike

Main material : steel
Power: magnetic control unpower system
Resistance: Reluctance type
Gear: 32 stalls
Electronic display: speed, time, calories etc
Seat Adjust system: Aluminium, up/down, fore/back
Flywheel: high power magnet
Size: 1110*560*1480mm
NW/GW: 65kg/85KG



SD - 9500

Recumbent Bike

Main material : steel
Size: 1600*620*1280mm
Power: magnetic control unpower system
Resistance: Reluctance type
Gear: 32 stalls
Electronic display: speed, time, calories etc
Seat Adjust system: Aluminium, up/down, fore/back
Flywheel: high power magnet
NW/GW: 85KG/110KG



SD-95BP

New Unpowered Elliptical Machine
Display function: time, distance, speed, calories, heart rate and exercise mode.
Mode: Combination of automatic mode and memory mode
The whole vehicle has the functions of hand-held heartbeat and heart rate recovery
Resistance Control: section 1-32 EMS spontaneous electromagnetic control system
The flywheel adopts a precise adsorption resistance adjustment system with strong magnetic magnets
Output voltage: 220V 50HZ 6VDC 1A
Power system: self-generating type
Size: 2100*640*1800mm
G.W./N.W.: 174KG/137KG
Max user weight: 160kg



SD - 9500

Mirror Elliptical Trainer

Product size: 2050*660*1800mm

Packing Size: 2050*640*740mm

N.W./G.W.: 110KG/145KG

Max user: 160kg

Display functions: time, distance, speed, calories, heart rate

Mode: Combination of automatic mode and memory mode

Main control power: 1-20 sections, EMS spontaneous electromagnetic control system

Features:

1. Super-large foam armrest, safer and more comfortable;
2. Super large pedal design, more soft and comfortable
3. The elliptical platform has a storage box, which is convenient for putting mobile phones and other things during exercise
4. Electromagnetic control system, high precision resistance
5. Flywheel with strong magnetic magnet to adjust resistance



SD - 9000

New Folded Elliptical Trainer

Display: time, distance, speed, calories, heart rate etc.

Resistance: 1-25 level resistance

Power supply mode: plug electric power

flywheel: 10kg, The flywheel adopts a precise adsorption resistance adjustment system with strong magnetic magnets.

Foldable, easy to assemble and save the space

Assemble size: 2000*600*1700mm

NW/GW: 110KG/140KG

Max loader: 130kg

SD-9100

High End Lateral Transverse Elliptical Machine

Resistance type: Generator Magnetic resistance
 Method: Electromagnetic
 Resistance class: 16
 Total Resistance(W): 300
 Max user weight: 300lb/136kg
 Net Weight: 194lb/88kgP
 Packing Weight: 225lb/102kg
 Assembled floor area: 42in*42.5in
 107cm*108cm
 Packing Size: 42.5in*42.5in*25in
 108cm*108cm*61.5cm
 Power requirement: self-generation



SD - M007

Wooden Curved Treadmill

Running belt: high strength nylon belt
 Product size: (L*W*H) 1450*800*1560mm
 Belt Size: 3000*440mm (L*W)
 Material: New zealand Pine
 Packing size: 1530*800*480mm
 NW/GW: 85KG/105KG



SD - B06

SPINNING BIKE

1. Drive :V-ribbed belt transmission, riding smoothly
2. 18KG heavier flywheel
3. N.W/G.W: 58KG/65KG
4. Machine Size: 1473*520*1270mm
5. Packing: 1150*250*1000mm
6. Resistance adjustment button
7. Adjust Seat Pad fore and back at 8 level, up and down at 20 level
8. Adjust Handle up and down at 12 level, fore and back adjustment
9. Vinyl plastic handle, easy to clean and maintain



SD - 450

Machine Size:1293*592*1229mm
NW/GW: 49kg/55kg
Packing Size: 1270*310*875mm
Step-less variable resistance adjustment
Max User: 150kg
Display: time, distance, speed, calories etc
Seat Adjust fore and back, up and down



SD - 920

Load capacity: 180kg
Size: 1250x600x1150 (mm)
Machine Weight: 96kg
Flywheel weight: 24kg
Color Options: as customer required
Stuffing: PU foam with synthetic leather
Indicator: time & distance& heart rate
CBM(M3): 0.6
Packaging: carton
Loading QTY: 20'ft : 50pcs /40'ft :108pcs/40'hq:126pcs



SD - 921

Load capacity: 180kg
Size: 1475x540x1250(mm)
Machine Weight: 80kg
Flywheel weight: 24kg
Color Options: as customer required
Stuffing: PU foam with synthetic leather
CBM(M3): 0.5
Packaging: carton
Loading QTY: 20'ft :56pcs/40'ft :114pcs /40'hq :130pcs



SD - 403

Air Rower

Product Size: 2350*630*360mm

Packing Size: 1450*410*560mm

Material: steel tube

Feature: long using life

Drive system: air driven

Adjustable resistance at 10 level

Display: time, speed, calories, mileage



SD - 500

Size: 1300*600*2140mm

Control: Automatic intelligent control system

Safety: infrared sensor safety braking device

Max load: 150kg

Volume: 0.46

Adjustable resistance at 10

NW/GW: 38KG/45KG

Function: peptide biceps, elbow, abdominal, gluteus maximus etc



SD - 9400

Seat Adjustment: Free Adjustment

LED: Time, Distance, Heart Rate, Calories

Transmission Way: The chain

Resistance to Adjust: Wind Resistance

Max User Weight: 200KG

Product Size: 1220*550*1270mm

Packing Size: 1220*680*400mm

Packing Method: Carton Case

NW/GW: 35KG/40.5KG

MOQ: 1PCS



SD - 7300

Seat Adjustment: Free Adjustment

Transmission Way: The Chain

LED: Time, Distance, Heart Rate, Calories

Resistance to Adjust: Wind Resistance

Max User Weight: 150KG

Product Size: 1270*650*1230MM

Packing Size: 1350*340*860MM

Packing Method: Carton case

NW/GW: 49KG/56KG

MOQ: 1PCS

